


ULTIMATE SWINGING FRENCH DOOR


6-6R HEIGHT

Clad Mas. Opp. (mm)	1-8 3/8 (518)	2-7 1/8 (791)	3-1 1/8 (943)	4-11 1/2 (1511)	5-11 1/2 (1816)	8-9 7/8 (2689)	7-10 11/16 (2405)
Wood Mas. Opp. (mm)	1-11 (584)	2-9 3/4 (857)	3-3 3/4 (1010)	5-2 1/8 (1578)	6-2 1/8 (1883)	9-0 1/2 (2756)	8-1 5/16 (2472)
Rgh. Opp. (mm)	1-8 7/8 (530)	2-7 5/8 (803)	3-1 5/8 (956)	5-0 (1524)	6-0 (1829)	8-10 3/8 (2702)	7-11 3/16 (2418)
Frame Size (mm)	1-7 7/8 (505)	2-6 5/8 (778)	3-0 5/8 (930)	4-11 (1499)	5-11 (1803)	8-9 3/8 (2677)	7-10 3/16 (2392)
Glass Size (mm)	12 13/16 (325)	20 3/32 (510)	26 3/32 (663)	20 3/32 (510)	26 3/32 (663)	26 3/32 (663)	12 13/16 (325) / 20 3/32 (510)




6-8 HEIGHT (7-0 AND 8-0 HEIGHTS SEE BELOW)


Clad Mas. Opp. (mm)	1-8 3/8 (518)	2-1 15/16 (659)	2-7 15/16 (811)	2-9 15/16 (862)	3-1 15/16 (946)	3-7 15/16 (1116)
Wood Mas. Opp. (mm)	1-11 (584)	2-4 9/16 (725)	2-10 9/16 (878)	3-0 9/16 (929)	3-4 9/16 (1030)	3-10 9/16 (1183)
Rgh. Opp. (mm)	1-8 7/8 (530)	2-2 7/16 (672)	2-8 7/16 (824)	2-10 7/16 (875)	3-2 7/16 (976)	3-8 7/16 (1129)
Frame Size (mm)	1-7 7/8 (505)	2-1 7/16 (646)	2-7 7/16 (799)	2-9 7/16 (849)	3-1 7/16 (951)	3-7 7/16 (1103)
Glass Size (mm)	12 13/16 (325)	14 29/32 (379)	20 29/32 (531)	22 29/32 (582)	26 29/32 (683)	32 29/32 (836)



Clad Mas. Opp. (mm)	4-1 1/8 (1248)	4-11 1/2 (1511)	5-1 1/8 (1553)	5-5 1/8 (1654)	5-11 1/2 (1816)	6-1 1/8 (1857)	7-1 1/8 (2162)
Wood Mas. Opp. (mm)	4-3 3/4 (1314)	5-2 1/8 (1578)	5-3 3/4 (1619)	5-7 3/4 (1721)	6-2 1/8 (1883)	6-3 3/4 (1924)	7-3 3/4 (2229)
Rgh. Opp. (mm)	4-1 5/8 (1260)	5-0 (1524)	5-1 5/8 (1565)	5-5 5/8 (1667)	6-0 (1829)	6-1 5/8 (1870)	7-1 5/8 (2175)
Frame Size (mm)	4-0 5/8 (1235)	4-11 (1499)	5-0 5/8 (1540)	5-4 5/8 (1641)	5-11 (1803)	6-0 5/8 (1845)	7-0 5/8 (2149)
Glass Size (mm)	14 29/32 (379)	20 3/32 (510)	20 29/32 (531)	22 29/32 (582)	26 3/32 (663)	26 29/32 (683)	32 29/32 (836)



Clad Mas. Opp. (mm)	6-0 5/16 (1837)	7-6 5/16 (2294)	8-0 5/16 (2446)	9-0 5/16 (2751)	10-6 5/16 (3208)
Wood Mas. Opp. (mm)	6-2 15/16 (1903)	7-8 15/16 (2361)	8-2 15/16 (2513)	9-2 15/16 (2818)	10-8 15/16 (3275)
Rgh. Opp. (mm)	6-0 13/16 (1849)	7-6 13/16 (2307)	8-0 13/16 (2459)	9-0 13/16 (2764)	10-6 13/16 (3221)
Frame Size (mm)	5-11 13/16 (1824)	7-5 13/16 (2281)	7-11 13/16 (2434)	8-11 13/16 (2738)	10-5 13/16 (3196)
Glass Size (mm)	14 29/32 (379)	20 29/32 (531)	22 29/32 (582)	26 29/32 (683)	32 29/32 (836)



NOTES:

- R=Retro Size
- Lite patterns shown are for standard grilles, SDL, and ADL in 6-6, 6-8, and 7-0 heights. The standard pattern for 8-0 heights is a 6 high lite cut.
- All glass is tempered.
- Elevations as viewed from the exterior.
- Please contact your local Marvin® representative for masonry openings that include casings and subsills.

7-0 AND 8-0 HEIGHTS:		
	7-0 Height	8-0 Height
Clad Mas. Opp. (mm)	7-2 1/4 (2191)	7-11 3/4 (2432)
Wood Mas. Opp. (mm)	7-3 9/16 (2224)	8-1 1/16 (2465)
Rgh. Opp. (mm)	7-2 1/2 (2197)	8-0 (2438)
Frame Size (mm)	7-2 (2184)	7-11 1/2 (2426)
Glass Size (mm)	71 7/16" (1815)	80 15/16" (2056)

ULTIMATE SWINGING FRENCH DOOR

6-8 HEIGHT (7-0 AND 8-0 HEIGHTS SEE BELOW)

Clad Mas. Opg. (mm)	7-1 1/2 (2426)	9-11 1/2 (3035)	10-7 1/2 (3239)
Wood Mas. Opg. (mm)	8-2 1/8 (2492)	10-2 1/8 (3102)	10-10 1/8 (3305)
Rgh. Opg. (mm)	8-0 (2438)	10-0 (3048)	10-8 (3251)
Frame Size (mm)	7-11 (2413)	9-11 (3023)	10-7 (3226)
Glass Size (mm)	14 29/32 (379)	20 29/32 (531)	22 29/32 (582)

6-10 1/4 (2089) 6-11 9/16 (2122) 6-10 1/2 (2096) 6-10 (2083) 67 7/16 (1713)			
	8068	10068	10868
	8070	10070	10870
	8080	10080	10880

Clad Mas. Opg. (mm)	11-11 1/2 (3645)	13-11 1/2 (4255)
Wood Mas. Opg. (mm)	12-2 1/8 (3712)	14-2 1/8 (4321)
Rgh. Opg. (mm)	12-0 (3658)	14-0 (4267)
Frame Size (mm)	11-11 (3632)	13-11 (4242)
Glass Size (mm)	26 29/32 (683)	32 29/32 (836)

6-10 1/4 (2089) 6-11 9/16 (2122) 6-10 1/2 (2096) 6-10 (2083) 67 7/16 (1713)		
	12068	14068
	12070	14070
	12080	14080

Clad Mas. Opg. (mm)	4-7 9/16 (1411)	4-7 9/16 (1411)	6-1 1/8 (1857)	9-0 5/16 (2751)
Wood Mas. Opg. (mm)	4-10 3/16 (1478)	4-10 3/16 (1478)	6-3 3/4 (1924)	9-2 5/16 (2802)
Rgh. Opg. (mm)	4-8 1/16 (1424)	4-8 1/16 (1424)	6-15/8 (1870)	9-0 13/16 (2764)
Frame Size (mm)	4-7 1/16 (1399)	4-7 1/16 (1399)	6-0 5/8 (1845)	8-11 13/16 (2739)
Glass Size (mm)	26 29/32 (683) / 12 13/16 (325)	12 13/16 (325) / 26 29/32 (683)	12 13/16 (325) / 26 29/32 (683) / 12 13/32 (325)	12 13/16 (325) / 26 29/32 (683) / 12 13/16 (325)

6-10 1/4 (2089) 6-11 9/16 (2122) 6-10 1/2 (2096) 6-10 (2083) 67 7/16 (1713)				
	4668 XO - Entrance	4668 OX - Entrance	6268 - Entrance	9268 - Entrance
	4670 XO - Entrance	4670 OX - Entrance	6270 - Entrance	9270 - Entrance
	4680 XO - Entrance	4680 OX - Entrance	6280 - Entrance	9280 - Entrance

Clad Ultimate Inswing French Door: **CUIFD**
 Clad Ultimate Outswing French Door: **CUOFD**
 Wood Ultimate Inswing French Door: **WUIFD**
 Wood Ultimate Outswing French Door: **WUOFD**

NOTES:

- R=Retro Size
- Lite patterns shown are for standard grilles, SDL, and ADL in 6-6, 6-8, and 7-0 heights. The standard pattern for 8-0 heights is a 6 high lite cut.
- All glass is tempered.
- Elevations as viewed from the exterior.
- Please contact your local Marvin® representative for masonry openings that include casings and subsills.

7-0 AND 8-0 HEIGHTS:		
	7-0 Height	8-0 Height
Clad Mas. Opg. (mm)	7-2 1/4 (2191)	7-11 3/4 (2432)
Wood Mas. Opg. (mm)	7-3 9/16 (2224)	8-1 1/16 (2465)
Rgh. Opg. (mm)	7-2 1/2 (2197)	8-0 (2438)
Frame Size (mm)	7-2 (2184)	7-11 1/2 (2426)
Glass Size (mm)	71 7/16" (1815)	80 15/16" (2056)

ULTIMATE SWINGING FRENCH DOOR TRANSOMS

1 FRAME 1 SASH 1/6 HEIGHT (2/0 AND 2/6 HEIGHTS SEE BELOW)

Clad Mas. Opp. (mm)	1-8 3/8 (518)	2-1 15/16 (659)	2-7 15/16 (811)	2-9 15/16 (862)	3-1 15/16 (964)	3-7 15/16 (1116)	4-1 1/8 (1248)
Wood Mas. Opp. (mm)	1-11 (584)	2-4 9/16 (725)	2-10 9/16 (878)	3-0 9/16 (929)	3-4 9/16 (1030)	3-10 9/16 (1183)	4-3 3/4 (1314)
Rgh. Opp. (mm)	1-8 7/8 (530)	2-2 7/16 (672)	2-8 7/16 (824)	2-10 7/16 (875)	3-2 7/16 (976)	3-8 7/16 (1129)	4-15/8 (1260)
Frame Size (mm)	1-7 7/8 (505)	2-1 7/16 (646)	2-7 7/16 (799)	2-9 7/16 (849)	3-1 7/16 (951)	3-7 7/16 (1103)	4-0 5/8 (1235)
Glass Size (mm)	12 13/16 (325)	14 29/32 (379)	20 29/32 (531)	22 29/32 (582)	26 29/32 (683)	32 29/32 (836)	38 3/32 (968)

1-6 1/4 (464)							
1-8 1/4 (514)	1616	2016	2616	2816	3016	3616	4016
1-6 1/2 (470)	1620	2020	2620	2820	3020	3620	4020
1-6 (457)	1626	2026	2626	2826	3026	3626	4026
10 5/8 (270)							

Clad Mas. Opp. (mm)	5-1 1/8 (1553)	5-5 1/8 (1654)	6-1 1/8 (1857)	7-1 1/8 (2162)
Wood Mas. Opp. (mm)	5-3 3/4 (1619)	5-7 3/4 (1721)	6-3 3/4 (1924)	7-3 3/4 (2229)
Rgh. Opp. (mm)	5-15/8 (1565)	5-5 5/8 (1667)	6-15/8 (1870)	7-15/8 (2175)
Frame Size (mm)	5-0 5/8 (1540)	5-4 5/8 (1641)	6-0 5/8 (1845)	7-0 5/8 (2149)
Glass Size (mm)	50 3/32 (1272)	54 3/32 (1374)	62 3/32 (1577)	74 3/32 (1882)

1-6 1/4 (464)				
1-8 1/4 (514)	5016	5416	6016	7016
1-6 1/2 (470)	5020	5420	6020	7020
1-6 (457)	5026	5426	6026	7026
10 5/8 (270)				

1 FRAME 2 SASH 1/6 HEIGHT (2/0 AND 2/6 HEIGHTS SEE BELOW)

Clad Mas. Opp. (mm)	4-1 1/8 (1248)	5-1 1/8 (1553)	5-5 1/8 (1654)	6-1 1/8 (1857)	7-1 1/8 (2162)
Wood Mas. Opp. (mm)	4-3 3/4 (1314)	5-3 3/4 (1619)	5-7 3/4 (1721)	6-3 3/4 (1924)	7-3 3/4 (2229)
Rgh. Opp. (mm)	4-15/8 (1260)	5-15/8 (1565)	5-5 5/8 (1667)	6-15/8 (1870)	7-15/8 (2175)
Frame Size (mm)	4-0 5/8 (1235)	5-0 5/8 (1540)	5-4 5/8 (1641)	6-0 5/8 (1845)	7-0 5/8 (2149)
Glass Size (mm)	14 29/32 (319)	20 29/32 (531)	22 29/32 (582)	26 29/32 (683)	32 29/32 (836)

1-6 1/4 (464)					
1-8 1/4 (514)	4016	5016	5416	6016	7016
1-6 1/2 (470)	4020	5020	5420	6020	7020
1-6 (457)	4026	5026	5426	6026	7026
10 5/8 (270)					

1 FRAME 3 SASH 1/6 HEIGHT (2/0 AND 2/6 HEIGHTS SEE BELOW)

Clad Mas. Opp. (mm)	6-0 5/16 (1837)	7-6 5/16 (2294)	8-0 5/16 (2446)	9-0 5/16 (2751)	10-6 5/16 (3208)
Wood Mas. Opp. (mm)	6-2 15/16 (1903)	7-8 15/16 (2361)	8-2 15/16 (2513)	9-2 15/16 (2818)	10-8 15/16 (3275)
Rgh. Opp. (mm)	6-0 13/16 (1849)	7-6 13/16 (2307)	8-0 13/16 (2459)	9-0 13/16 (2764)	10-6 13/16 (3221)
Frame Size (mm)	5-11 13/16 (1824)	7-5 13/16 (2281)	7-11 13/16 (2434)	8-11 13/16 (2738)	10-5 13/16 (3196)
Glass Size (mm)	14 29/32 (379)	20 29/32 (531)	22 29/32 (582)	26 29/32 (683)	32 29/32 (836)

1-6 1/4 (464)					
1-8 1/4 (514)	6016	7616	8016	9016	10616
1-6 1/2 (470)	6020	7620	8020	9020	10620
1-6 (457)	6026	7626	8026	9026	10626
10 5/8 (270)					

2/0 AND 2/6 HEIGHTS:		
	2/0 Height	2/6 Height
Clad Mas. Opp. (mm)	2-0 1/4 (616)	2-6 1/4 (768)
Wood Mas. Opp. (mm)	2-2 1/4 (667)	2-8 1/4 (819)
Rgh. Opp. (mm)	2-0 1/2 (622)	2-6 1/2 (775)
Frame Size (mm)	2-0 (610)	2-6 (762)
Glass Size (mm)	16 5/8" (422)	22 5/8" (575)

NOTES:

- Some transoms available factory mullled.
- For stand alone wood units in masonry openings add 11/16" (17) to the masonry opening height only.
- Please contact your local Marvin® representative for information on structural mulling guidelines.
- Please contact your local Marvin representative for masonry openings that include casings and subsills.

Clad Ultimate Inswing French Door Transoms: **CUIFDT**
 Clad Ultimate Outswing French Door Transoms: **CUOFDT**
 Wood Ultimate Inswing French Door Transoms: **WUIFDT**
 Wood Ultimate Outswing French Door Transoms: **WUOFDT**

ULTIMATE SWINGING FRENCH DOOR TRANSOMS

1 FRAME 4 SASH 1/6 HEIGHT (2/0 AND 2/6 HEIGHTS SEE BELOW)

Clad Mas. Opg. (mm)	7-11 1/2 (2426)	9-11 1/2 (3035)	10-7 1/2 (3239)	11-11 1/2 (3645)	13-11 1/2 (4255)
Wood Mas. Opg. (mm)	8-2 1/8 (2492)	10-2 1/8 (3102)	10-10 1/8 (3305)	12-2 1/8 (3712)	14-2 1/8 (4321)
Rgh. Opg. (mm)	8-0 (2438)	10-0 (3048)	10-8 (3251)	12-0 (3658)	14-0 (4267)
Frame Size (mm)	7-11 (2413)	9-11 (3023)	10-7 (3226)	11-11 (3632)	13-11 (4242)
Glass Size (mm)	14 29/32 (379)	20 29/32 (531)	22 29/32 (582)	26 29/32 (683)	32 29/32 (836)

1-6 1/4 (464)
1-8 1/4 (514)
1-6 1/2 (470)
1-6 (457)
10 5/8 (270)



8016
8020
8026



10016
10020
10026



10816
10820
10826



12016
12020
12026



14016
14020
14026

2/0 AND 2/6 HEIGHTS:		
	2/0 Height	2/6 Height
Clad Mas. Opg. (mm)	2-0 1/4 (616)	2-6 1/4 (768)
Wood Mas. Opg. (mm)	2-2 1/4 (667)	2-8 1/4 (819)
Rgh. Opg. (mm)	2-0 1/2 (622)	2-6 1/2 (775)
Frame Size (mm)	2-0 (610)	2-6 (762)
Glass Size (mm)	16 5/8" (422)	22 5/8" (575)

NOTES:

- Some transoms available factory mullled.
- For stand alone wood units in masonry openings add 11/16" (17) to the masonry opening height only.
- Please contact your local Marvin® representative for information on structural mulling guidelines.
- Please contact your local Marvin representative for masonry openings that include casings and subsills.